


Bermuda & Zoysia Lawn Care Made Easy!

step #1

HiYield® Turf & Ornamental Weed & Grass Stopper Con-

taining Dimension may be applied in winter & again in spring for the prevention of many common lawn weeds. It will also stop crabgrass from germinating & destroys the weed during the first five weeks of its growth.



step #2

WEED FREE ZONE
Containing Lawn

Fertilizer Should be applied early spring through May. Wet the lawn before applying, wait 24 hours then water thoroughly. This product will control most common broadleaf weeds while providing a balanced lawn food. For more thorough weed control spray **ferti-lome®**




Weed Free Zone 10-14 days later.

step #3

Lawn Food Plus


Iron. Apply in June. This product will noticeably green-up a lawn almost “overnight” & keep it “green” long term. This lawn food contains Chelated iron which is rapidly available to the turf. For best results apply monthly in the summer, weather permitting.



step #4

Winterizer for Established

Lawns Apply in the fall to both lawns & shrubs. It better enables turf, trees & shrubs to withstand the rigors of winter. Its effects are similar to putting on an overcoat in the winter.



Extra potash enables Warm Season grasses over winter better and be healthier in the spring. For additional weed control apply **ferti-lome® Winterizer & Weed Preventer II For Southern Grasses.**

step #5

Apply **ferti-lome® F-Stop For Picture Perfect Disease Free Turfgrass**. In severe cases, repeated applications may be necessary. It is advisable to apply a preventive application of **ferti-lome® F-Stop** in the spring & fall. Specific types of crawling insects (such as ants, crickets, grasshoppers etc.) may be controlled by monthly applications of **Hi-Yield® Bug Blaster II Turf Insect Control Granules**.



**TRUE
BLUE
NURSERY**

True Blue Nursery

9532 Highway 17 S. | Pawley's Island, SC 29585

Phone: (843) 237-7012



Always read & follow label directions.